


HiB

MAKING
BATHROOMS
BEAUTIFUL

Technical Drawing & FAQ Data Sheets




Paragon 50
Paragon 60
Paragon 80
Paragon 120

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
 HiB try and ensure all measurements are as accurate as possible.
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


Paragon 50

Art no. 51800



Paragon 60

Art no. 51900



Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.


Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
 HiB try and ensure all measurements are as accurate as possible.
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


Paragon 80

Art no. 52000



Paragon 120

Art no. 52100



Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

Paragon

50, 60, 80 & 120

Product FAQ Data Sheet

			Version No. 05.04.18
	Product	Paragon 50, Paragon 60, Paragon 80 & Paragon 120	
	Art. No.	Paragon 50: 51800, Paragon 60: 51900, Paragon 80: 52000 & Paragon 120: 52100	
	Product Description	Give your bathroom a gorgeous glow with Paragon. Illuminated diffused sides radiate a mellow luminescence to the surrounding walls, resulting in a stunning halo effect. Sensor activated colour-change lighting means you can tailor your glow to suit your bathroom – whether that's a golden warmth, or pure white brilliance. An integrated socket makes keeping bathroom essentials fully charged the paragon of simplicity.	

Question	Answer
Nett weight (kg)	Paragon 50: 15.5kg / Paragon 60: 19kg / Paragon 80: 23.5kg Paragon 120: 33.1kg
Light Source	LED
Light Source Average Lifespan	Average: 20,000 hr
Total Rated Wattage (W)	Paragon 50: 36W / Paragon 60: 44W / Paragon 80: 44W Paragon 120: 52W
Lumens (Lm)	Paragon 50: 7644lm / Paragon 60: 7644lm / Paragon 80: 7644lm Paragon 120: 7644lm
Kelvins (k)	Paragon 50, 60, 80 & 120: 2800-6400k
Is the cabinet dimmable?	No
Energy Rating	Class A
Is the heated pad only on when the cabinet is illuminated?	Yes
Does the cabinet require an earth connection?	Yes
Can I bypass the sensor so the cabinet comes on with the main room light?	No
Is it cool white or warm white illumination?	Both, the cabinet is colour temperature changing
What IP rating is the cabinet?	All Paragon cabinets are IP44 rated
How long is the warranty?	5 years from date of purchase on silvering coating on mirror 2 years from date of purchase on electrical components in the mirror

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.

HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.